

Quicker Ather

Introducing the new 450 Series






2.9 kWh & 3.7 kWh Battery

More thrills. Per second.

0-40 km/h in **3.3 sec**

Top Speed 90 km/h

Designed for performance



- Lightweight, heavy-duty

- Low center of gravity for superior ride handling

hybrid aluminium chassis

- Better stability with rear monoshock suspension
- MRF Zapper Tyres for greater grip in any weather

More DOWER to Vou

instant torque of 26 Nm. No jerks, no vibrations, no quivers, just thrills.

A 6.4 kW PMS motor brings out the

true power of electric. Take off and

keep gliding at top speed with an

Allattery that does brilliantly

Stronger, lighter, better

Pressure die-cast aluminium casing

Water & dust resistant IP67 rated

Ather Battery Protect[™]

- 5 years or 60,000 km warranty
- Minimum 70%
 - State-of-Health for 5 years
- No upper limit on claims Deep discharge protection
- 100% coverage against defects or failures

Adash of intelligence






Industry First Touchscreen Dashboard 17.7 cm (7")

- Google Maps
- Bluetooth: Call & Music Control
- OTA Updates
- Interactive UI
- TrueRange™: Intelligent Range Prediction
- Document Storage
- Incognito Mode


One app for everything Ather



Connectivity in the palm of your hands

- Theft & tow alerts
- Find my scooter
- Push Navigation
- Savings tracker
- *Document Storage

- *Inter-city Trip Planner™



- Side StepAuto Indicator
- Cut-off

Reverse Park Assist

> Guide-me-home

> Frunk™ (Front storage)

lights

Safety first, second and third

Emergency Stop Signal Panic braking will automatically trigger tail light flashing, warning everyone of an emergency situation.

FallSafe™

In case of a fall, your Ather will immediately detect it and cut off the motor, protecting you from further danger.

Dual Disc Brakes

60 - 0 km/h in <2 seconds

Flying Colours.

Mowon the road.

- True Red*
- Salt Green
- Lunar Grey*



*Exclusively for 450X






1400+ Ather Grid[™] points India's largest &

fastest growing charging network

Ather Portable Charger

Plugs into any 5A socket whether at home or away



Specifications & features

6.4 kW 26 Nm

2.9kWh Battery

6.4 kW

3.7kWh Battery

Top speed Acceleration (0-40 km/h)

Power (peak)

Max torque

Performance

Gradeability at peak power Motor type Ingress protection (motor) Ingress protection (controller) 90 km/h $3.3 \, s$ 20 degrees **PMSM IP66 IP65**

111 km

2.9 kWh

51.1V

IP67

Lithium-ion

26 Nm 90 km/h 3.3 s

IP66 IP65

20 degrees **PMSM**

Battery

Range

Certified Range*

Water & dust resistance Pack casing

Charging

0-80%

0-100%

Wheel type

Wheel size (front)

Wheel size (rear)

Tyre size (front)

Tyre size (rear)

Home Charging[†]

Tyres & wheels

Installed capacity

Nominal voltage

Battery type

Aluminium alloy 6 hr 36 min

8 hr 36 min

Alloy wheels

30.4 cm x 5.4 cm (12"x 2.15")

30.4 cm x 6.3 cm (12"x 2.5")

90/90-12 tubeless tyres

100/80-12 tubeless tyres

150 km# 3.7 kWh

Lithium-ion

4 hr 30 min

5 hr 45 min

Aluminium alloy

51.1V

IP67

Alloy wheels 30.4 cm x 5.4 cm (12"x 2.15")

30.4 cm x 6.3 cm (12"x 2.5")

90/90-12 tubeless tyres

100/80-12 tubeless tyres

Brakes Braking system

Brake type (front) Brake type (rear) Disc size (front) Disc size (rear) Braking distance (60-0 km/h)

Transmission

Transmission ratio

Front suspension

Rear suspension

Frame type

Type

Belt drive 7.8:1

Telescopic forks

Symmetrically mounted progressive monoshock

Precision machined hybrid chassis

Aluminium and steel

LED

LED

LED

129.6 cm

17 cm

78 cm

111.6 kg

48:52

30 cm

16GB

2GB

OS (AOSP)

17.7 cm (7")

Capacitive

16M

5:3

IP65

3 years

800 Nits

TFT touchscreen

800 x 480 pixels

Space Grey, Still White,

Cosmic Black, Lunar Grey™

Salt Green, True Red,

Snapdragon 212

Quadcore 1.3Ghz

Android Open Source

Combined braking system & regenerative braking

Hydraulically actuated triple-piston calliper disc

Hydraulically actuated single-piston calliper disc

20 cm

19 cm

28.6 m

Frame materials

Suspension & frame

Peripherals & convenience Headlights Tailights Indicators Park Assist™ Side stand motor cut-off

Boot storage

Width

Seat height

Kerb weight

F:R weight ratio

Water wading limit

Pillion grab handle

Dimensions & storage Length Height Wheelbase Ground clearance

Yes Yes 22L Aluminium 189.1 cm 189.1 cm 73.9 cm 73.9 cm 111.4 cm 111.4 cm

129.6 cm

17 cm

78 cm

108 kg

48:52

30 cm

16GB

2GB

OS (AOSP)

17.7 cm (7")

Capacitive

16M

5:3

IP65

800 Nits

Snapdragon 212

Quadcore 1.3Ghz

TFT touchscreen

800 x 480 pixels

Android Open Source

Dashboard Processor Storage

RAM Operating system Screen size & type Touchscreen type Resolution Colours Brightness

Aspect ratio Water & dust resistance Colours Warranty Vehicle warranty

Charger warranty

Battery warranty

5 years/60,000km whichever is earlier 5 years/60,000km whichever is earlier

Space Grey, Still White,

Cosmic Black, Lunar Grey™

Salt Green, True Red,

5

Yes

Yes

Yes

Yes

Yes

SmartEco™ - 110 km

Eco - 105 km

Ride - 90 km

Sport - 85 km

Warp™ - 75 km

RideAssist™ Riding modes TrueRange™ Display SmartEco™ - 90 km Eco - 85 km Ride - 75 km

Unlock all the smarts,

all the intelligence

Ather Connect™ Complimentary for 2 years Navigation

Document Storage

Interactive UI

AutoHold™

Dashboard auto brightness

Emergency Stop Signal (ESS)§

Auto Indicator cut-off

Guide-me-home lights

Vehicle FallSafe™

Coasting Regen

Call & Music control

Ather App™ features Tow & Theft Notifications Find my scooter Ride Stats Push Navigation Inter-city Trip Planner™ Savings trackers Ather Labs™

Atherstack™

OTA Updates

www.atherenergy.com.np

©2023 Ather Energy. All rights reserved.

Yes Yes Yes Yes Google Maps Yes Yes Yes Yes Yes

Sport - 70 km

Warp[™] - 60 km

Yes

Yes Yes Yes Yes Google Maps Yes Yes Yes Yes Yes Yes Yes Yes Yes

Yes

